

---

**Product name:** Propamocarb 530 g/L +Fosetyl-aluminium 310 g/L SL

**Product Specification:**

Item	Specification
Propamocarb content, g/L	530 ± 25
Fosetyl-aluminium content, g/L	310 ± 15.1
pH value	6.0 – 7.5
Persistent foam, mL (after 1 min)	25 max
Dilution stability (at 20 times)	Qualified
Stability at 0 °C	Qualified
Stability at elevated temperature	Qualified

**Introduction:**

This product is a systemic fungicide, which is quickly absorbed by leaves and roots. Propamocarb and Fosetyl-Al give it a rapid acropetal and basipetal translocation, particularly towards the growth points, thus inhibiting the proliferation of the fungus in the plant.

**Direction for use:**

Crop	Target	Application Time	Dosage rate	Method
Chili	Phytophthora	After transplanting	2.0 – 2.5 L/ha	Root-irrigation
Cucumber	Downy mildew	Before or at the early stage of the disease	1.5 – 2.5 L/ha	Spray

**Note:**

1. When preparing, dilute the recommended dosage with a small amount of water in a clean container, and then transfer it all to the sprayer, and then add enough water and mix it thoroughly.
2. Do not mix with alkaline pesticides.
3. Apply three times at most for every crop cycle.