Product name: Glyphosate potassium salt 43% SL

## **Product Specification:**

| Item                              | Specification 35 ± 1.8 |  |  |
|-----------------------------------|------------------------|--|--|
| Content of glyphosate, %          |                        |  |  |
| Content of potassium ion, %       | 7.7 min                |  |  |
| Formaldehyde, g/kg                | 0.6 max                |  |  |
| N-Nitrosoglyphosate, mg/kg        | 1.0 max                |  |  |
| pH value                          | 4.0 - 8.5              |  |  |
| Solution stability                | Qualified              |  |  |
| Stability at 0 °C                 | Qualified              |  |  |
| Stability at elevated temperature | Qualified              |  |  |

**Introduction:** It's a non-selective and systemic herbicide that is absorbed by the green parts of plants. It has good control effect on annual and perennial weeds.

## **Direction for use:**

| Crop           | Target | Application Time          | Dosage rate   | Method                          |
|----------------|--------|---------------------------|---------------|---------------------------------|
| Bare place     | Weeds  | Stage of vigourous growth | 1.8-4.9 L/ha  | Directional stem and leaf spray |
| Citrus orchard |        |                           | 1.8-4.1 L/ ha |                                 |
| Cotton field   |        |                           | 1.2-2.7 L/ ha |                                 |
| Apple orchard  |        |                           | 1.8-3.7 L/ ha | - icai spray                    |

## Note:

- 1. Dilute the pesticide with clean water. Do not use turbid water, so as not to reduce the efficacy.
- 2. If it rains within 4 hours after spraying, additional application should be given.
- 3. If the weather is dry and weeds are withered, please increase the dosage as appropriate.
- 4. Avoid drifting to crops to avoid phytotoxicity.